

AUTO GLASS TECH. + TOOLS

www.wrdglasstools.com

Removal Systems	1-6
Spider Line	7-8
Tools & Accessories	9-11
Additional Tools	12
Replacement Parts	13-20





WRD - Spider 3 - Kit 150 K

Cutting fiber line removal system.

Provides safe and efficient auto glass panel removal.

- Low profile design
- Cordless drill operation via side connection

KIT CONTENTS:

- **WRD-SA3** Spider 3 Cup Assembly
- **X48** Mid Gauge Cutting Line (48m)
- **WRD-A3** Anchor Cup
- **WRD-T** Cutting Line Threader
- **WRD-DP** Dash Protector
- **WRD-MP** Pick Tool
- **WRD-BS** Bit Set
- **WRD-IS** Install Stick
- **WRD-PB3** Plastic Tool Case
- Instruction Manual



WRD - Spider 3 - Kit 300 K

Cutting fiber line removal system.

Provides safe and efficient auto glass panel removal.

- Low profile design
- Cordless drill operation via side connection

KIT CONTENTS:

- **WRD-SA3** Spider 3 Cup Assembly
- **P8-96** Heavy Gauge Cutting Line (96m)
- **WRD-A3** Anchor Cup
- **WRD-T** Cutting Line Threader
- **WRD-DP** Dash Protector
- **WRD-MP** Pick Tool
- **WRD-BS** Bit Set
- **WRD-IS** Install Stick
- **WRD-PB3** Plastic Tool Case
- Instruction Manual



WRD - Spider 3 - Kit 300 W

Cutting fiber line removal system.
Provides safe and efficient auto glass panel removal.

- Low profile design
- Cordless drill operation via side connection
- Includes angle driver

KIT CONTENTS:

- **WRD-SA3** Spider 3 Cup Assembly
- **P8-96** Heavy Gauge Cutting Line (96m)
- **WRD-A3** Anchor Cup
- **WRD-T** Cutting Line Threader
- **WRD-AD** Angle Driver
- **WRD-DP** Dash Protector
- **WRD-MP** Pick Tool
- **WRD-BS** Bit Set
- **WRD-IS** Install Stick
- **WRD-PB3** Plastic Tool Case
- Instruction Manual

NEW AND IMPROVED WRD SPIDER 3



- Lightweight and robust toolframe
- Metal deflection roller
- Metal reverse guide hardware
- Female hex connection spindle with optimized angle

WRD - Orange Bat - Kit 300 K

Cutting fiber line removal system.

Provides safe and efficient auto glass panel removal.

- Dual spindle design
- Cordless drill or hand crank operation via top connection

KIT CONTENTS:

- **WRD-OBA** Spider 3 Cup Assembly
- **XN96** Mid Gauge Cutting Line (96m)
- **WRD-HC** 360° Hand Crank
- **WRD-T** Cutting Line Threader
- **WRD-DP** Dash Protector
- **WRD-MP** Pick Tool
- **WRD-BS** Bit Set
- **WRD-UB** U Bit
- **WRD-IS** Install Stick
- **WRD-PB3** Plastic Tool Case
- Instruction Manual



WRD - Orange Bat - Kit 300 W

Cutting fiber line removal system.

Provides safe and efficient auto glass panel removal.

- Dual spindle design
- Cordless drill or hand crank operation via top connection
- Includes angle driver

KIT CONTENTS:

- **WRD-OBA** Spider 3 Cup Assembly
- **XN96** Mid Gauge Cutting Line (96m)
- **WRD-HC** 360° Hand Crank
- **WRD-T** Cutting Line Threader
- **WRD-AD** Angle Driver
- **WRD-DP** Dash Protector
- **WRD-MP** Pick Tool
- **WRD-BS** Bit Set
- **WRD-UB** U Bit
- **WRD-IS** Install Stick
- **WRD-PB3** Plastic Tool Case
- Instruction Manual





WRD - Spider 002S - Kit 300 K

Cutting fiber line removal system.
Provides safe and efficient auto glass panel removal.

- Low profile design
- Cordless drill operation via side connection

KIT CONTENTS:

- **WRD-002S-SA** Spider 2 Cup Assembly
- **P8-96** Heavy Gauge Cutting Line (96m)
- **WRD-A3** Anchor Cup
- **WRD-T** Cutting Line Threader
- **WRD-DP** Dash Protector
- **WRD-MP** Pick Tool
- **WRD-BIT** Bit Holder
- **WRD-IS** Install Stick
- **WRD-PB2** Plastic Tool Case
- Instruction Manual



WRD - Spider 002S - Kit 300 W

Cutting fiber line removal system.
Provides safe and efficient auto glass panel removal.

- Low profile design
- Cordless drill operation via side connection
- Includes angle driver

KIT CONTENTS:

- **WRD-002S-SA** Spider 2 Cup Assembly
- **P8-96** Heavy Gauge Cutting Line (96m)
- **WRD-A3** Anchor Cup
- **WRD-AD** Angle Driver
- **WRD-T** Cutting Line Threader
- **WRD-DP** Dash Protector
- **WRD-MP** Pick Tool
- **WRD-BIT** Bit Holder
- **WRD-IS** Install Stick
- **WRD-PB2** Plastic Tool Case
- Instruction Manual



WRD Pro6 System 2-in-1 Base Kit 150

Cutting fiber line removal system and multi-purpose glass panel handling cups. Provides safe and efficient removal and glass panel handling.

PRO6 QUICK CONNECT

- Interchangeable attachment locking mechanism
- Cordless drill or hand crank operation via top connection

KIT CONTENTS:

- **WRD-PRO6-R** Removal Handling Cup
- **WRD-PRO6-A** Anchor Handling Cup
- **X48** Medium Gauge Cutting Line (48m)
- **WRD-AD** Angle Driver
- **WRD-T** Cutting Line Threader
- **WRD-HC** 360° Hand Crank
- **WRD-DP** Dash Protector
- **WRD-MP** Pick Tool
- **WRD-BIT** Bit Holder
- **WRD-IS** Install Stick
- **WRD-TT** 17" Tool Tote
- Instruction Manual



WRD Pro6 System 2-in-1 Advanced Kit 275

Cutting fiber line removal system and multi-purpose glass panel handling cups. Provides safe and efficient removal and glass panel handling.

PRO6 QUICK CONNECT

- Interchangeable attachment locking mechanism
- Cordless drill or hand crank operation via top connection
- Includes angle driver and high gauge cutting line

KIT CONTENTS:

- **WRD-PRO6-R** Removal Handling Cup
- **WRD-PRO6-A** Anchor Handling Cup
- **P8-34** High Gauge Cutting Line (34m)
- **X48** Medium Gauge Cutting Line (96m)
- **WRD-AD** Angle Driver
- **WRD-T** Cutting Line Threader
- **WRD-HC** 360° Hand Crank
- **WRD-DP** Dash Protector
- **WRD-MP** Pick Tool
- **WRD-BIT** Bit Holder
- **WRD-IS** Install Stick
- **WRD-TT** 17" Tool Tote
- Instruction Manual



WRD PRO6 Install System

One person auto glass panel setting system. Provides a safe and efficient setting solution.

PRO6 QUICK CONNECT

- Interchangeable attachment locking mechanism
- Includes 3 PRO6 base handling cups

KIT CONTENTS:

- **WRD-PRO6-B x 3** Base Handling Cups
- **PRO6-EA** Extended Arm
- **PRO6-DH** Double Hook
- **WRD-TT** 17" Tool Tote
- Instruction Manual



WRD PRO6 System 3-in-1 Kit 425

Cutting fiber line removal system and multi-purpose glass panel handling cups. Provides safe and efficient removal and glass panel handling.

PRO6 QUICK CONNECT

- Interchangeable attachment locking mechanism
- Cordless drill or hand crank operation via top connection
- Includes angle driver
- Include one man setting system

KIT CONTENTS:

- | | |
|---|---------------------------------|
| - WRD-PRO6-R Removal Handling Cup | - WRD-HC 360° Hand Crank |
| - WRD-PRO6-A Anchor Handling Cup | - PRO6-EA Extended Arm |
| - WRD-PRO6-B Base Handling Cup | - PRO6-DH Double Hook |
| - XN96 Medium Gauge Cutting Line (96m) | - WRD-MP Pick Tool |
| - P8-34 High Gauge Cutting Line (34m) | - WRD-BIT Bit Holder |
| - WRD-DP Dash Protector | - WRD-IS Install Stick |
| - WRD-DPXL Dash Protector | - WRD-TT 17" Tool Tote |
| - WRD-AD Angle Driver | - Instruction Manual |
| - WRD-T Cutting Line Threader | |



WRD Spider Line P8 Series

Heavy gauge cutting line, all applications, fast cutting process, with best re-usability rate.

TECHNICAL SPECIFICATIONS:

- Up to 10 removals per length
- Tensile Strength: 365 Lb
- Diameter: 1.00mm
- Solid braiding construction
- Low salvage removal rate
- Heavy duty abrasion resistance coating

AVAILABLE SIZES:

P8-96

- 315 feet (96m)
- 14 pre-marked lengths

PN8-96

- 315 feet (96m)
- No pre-marked lengths

P8-34

- 112.5 feet (34m)
- 5 pre-marked lengths

P8 Carded Line

- 22.5 feet (6.85m)
- 1 length

INDIVIDUAL PRICING:

P8 (96m) Roll

PN8 (96m) Roll

P8 (34m) Roll

P8 Carded Line

CASE PRICING (PER ROLL):

P8 (96m) - 6 Rolls

PN8 (96m) - 6 Rolls

P8 (34m) - 10 Rolls

CUTPRO PERFORMANCE



WRD Spider Line X Series

Mid gauge cutting line, all applications, great balance in high tensile strength and cutting ability, great re-usability rate.

TECHNICAL SPECIFICATIONS:

- Up to 7 removals per length
- Tensile strength: 320 Lb
- Diameter: 0.85mm
- Solid braiding construction
- Good salvage removal rate
- Heavy duty abrasion resistance coating

AVAILABLE SIZES:

X96 (96m)

- 315 feet (96m)
- 14 pre-marked lengths

XN96 (96m)

- 315 feet (96m)
- No pre-marked lengths

X48 (48m)

- 157.5 feet (48m)
- 7 pre-marked lengths

X Carded Line

- 22.5 feet (6.85m)
- 1 length

INDIVIDUAL PRICING:

X96 (96m) Roll

XN96 (96m) Roll

X48 (48m) Roll

X Carded Line

CASE PRICING (PER ROLL):

X96 (96m) - 6 Rolls

XN96 (96m) - 6 Rolls

X48 (48m) - 6 Rolls

CUTPRO PERFORMANCE



WRD Spider Line P6 Series

Super thin cutting line, excellent cutting ability with good tensile strength, moderate re-usability rate.

TECHNICAL SPECIFICATIONS:

- Up to 4 removals per length
- Tensile strength: 245 Lb
- Diameter: 0.65mm
- Great salvage removal rate
- Heavy duty abrasion resistance coating

AVAILABLE SIZES:

P6 (96m)

- 315 feet (96m)
- 14 pre-marked lengths

P6 Carded Line

- 22.5 feet (6.85m)
- 1 length

INDIVIDUAL PRICING:

P6 (96m) Roll

P6 Carded Line

CASE PRICING (PER ROLL):

P6 (96m) - 6 Rolls

CUTPRO PERFORMANCE



WRD Spider Line SF 301

Mid gauge cutting line, good cutting ability and tensile strength, good re-usability rate.

TECHNICAL SPECIFICATIONS:

- Up to 5 removals per length
- Tensile strength: 270 Lb
- Diameter: 0.85mm
- Flat braiding construction
- Abrasion resistance coating
- Good salvage removal rate

AVAILABLE SIZES:

SF 301 (96m)

- 315 feet (96m)
- 14 pre-marked lengths

INDIVIDUAL PRICING:

SF 301 (96m) Roll



THE ALL NEW ORANGE BAT

- Lightweight and robust toolframe
- Easy release tab suction pad
- Female hex connection spindle with stepped rotation



WRD-SA3

Spider 3 Cup Assembly

Cutting Fiber Line Removal Device

- Compact and low profile design
- Light weight
- Cordless drill operation
- Side connection



WRD-UGS3

Spider 3 Upgrade Assembly

WRD Spider Cup 3 assembly without rubber pad and pump.



WRD-OBA

Orange Bat Assembly

Cutting Fiber Line Removal Device

- Dual spindle design
- Compact and light weight
- Cordless drill or manual operation
- Top connection



WRD-A3

WRD Anchor Cup

4 1/2 " (117mm) concave lever suction cup with a clamping platform to secure the cutting fiber line.



WRD-SA-002S

Spider 002S Cup Assembly

Cutting Fiber Line Removal Device

- Compact and low profile design
- Light weight
- Cordless drill operation
- Side connection



WRD-UG-002S

Spider Cup Upgrade Assembly

WRD Spider Cup 002S assembly without rubber pad and pump.



WRD-PRO6-R

Removal Glass Handling Cup

Multi-purpose glass handling cup with removal system.

PRO6 QUICK CONNECT



WRD-PRO6-A

Anchor Glass Handling Cup

Multi-purpose glass handling cup with anchor cup system.

PRO6 QUICK CONNECT



WRD-PRO6-B

Base Handling Cup

Multi-purpose glass handling cup.

PRO6 QUICK CONNECT



The PRO6 Quick Connect is an interchangeable accessory locking mechanism used by the PRO6 multi-purpose glass handling cups.

PRO6 QUICK CONNECT



WRD-HC

Hand Crank

Manual operation for Orange Bat and PRO6 systems.

- Compact and low profile design
- 360° rotation




PRO6-EA

Extended Arm

Provides leverage to handle glass panels.

PRO6 QUICK CONNECT



PRO6-DH

Double Hook

One technician installation attachments for PRO6 systems.

PRO6 QUICK CONNECT



WRD-IS

WRD Install Stick

Notched end helps guide cutting line under the glass panel. Eye end helps guide cutting line under the sealing lips and encapsulations.



WRD-H1

Fiber Line Hand Puller

Provides secure cutting line attachment method. Great tool for removing small glass panels, spoilers, flares, antennas, badges and emblems.



WRD-H1P

Fiber Line Hand Puller Pair

Pair of two fiber line hand pullers.



WRD-H1B

Fiber Line Hand Puller Set

Two fiber line hand pullers, 2m GT 315 carded cutting line and the WRD-IS Install Stick.



WRD-T

WRD Cutting Line Threader

Spring steel blade, notched tip and side grooves. Allows the technician to efficiently push cutting line through the adhesive.



WRD-DP

WRD Dash Protector

240*180 mm. Protector sheet designed with three different corner radiuses, helps protect the interior of the vehicle.



WRD-DPL

WRD Dash Protector L

330 x 165 mm. Unique design provides optimal protection to interior of vehicle.



WRD-DPXL

WRD Dash Protector XL

410 x 240 mm. Extra large design for dash protection of larger vehicles.



WRD-AD

WRD 90° Angle Driver

Recommended for use with the Spider tool on strongly curved glass panels and side glass panels. Speed reduction with a gear ratio of 1.28



WRD-BLG

Bit Long

95mm 1/4" hex drive for use with Spider 3 and Orange Bat systems. Works with cordless drill or hand crank.



WRD-BSM

Bit Short

25.5mm 1/4" hex drive set for with Spider 3 and Orange Bat systems. Works with cordless drill or hand crank.



WRD-BIT

Bit Holder

60 mm. For use with the WRD Spider removal system.



WRD-UB

U Bit

1/4" hex U shape bit. Used as a stopper for the Orange Bat spindle.



WRD-EB

Extended Flexible Bit Holder

190mm. Bend-ability up to 20%. Use only on strongly curved glass panels and side glasses when the bit holder would not allow access to the tool connection.



PRO6-QB

Quick Lock Bit Holder

Provides locking system for cordless drill. Used with PRO6 lift glass handling cup.



WRD-MP

WRD Pick Tool


Handy hook tool which allows the technician to easily pick up the cutting fiber after it is pushed through the adhesive from the interior of the vehicle.



PRO6-PP

Positioning Assistant

Dry set windshield aligner used with the one man setting system.



SB16

Urethane Scraper Tools


Ergonomic non-slip handle. Aluminium shaft with quick-change collar. Includes pack of 10 5/8 inch (16mm) super sharp blades.



B16

10 Blades for SB Scraper Tool

5/8 inch (16mm) SB Scraper Tool blade replacement pack. Super shape blades.



B20

10 Blades for SB Scraper Tool

25/32 inch (20mm) SB Scraper Tool blade replacement pack. Super shape blades.



WPU1

Universal Wiper Arm Removal

Adjustable tool for quick and easy removal of wiper arms.



WP2

Easy Lift

Excellent for nearly all types of wiper arm removals.



RP

Small Clip Pry Removal

Simple clip removal tool for door coverings and covering clips.



RPP

Clip Removal Pliers

Specially designed jaws provide easy removal of flush install clips and two part clips.



5PR

Pry Lever Set

5 piece set made of polycarbonate materials. Use for safe removal of door panels, trims, liner, mouldings, etc.



WRD-LP

Cutting Line Holder Pins (4pcs/set)

Must use accessory for windshield overhanging the pinchweld at bottom.

**WRD-VP****Top Release Suction Pad**

6-inch vacuum rubber pad with top releasing tabs.

- Compatible with Spider 002S

**WRD-VP2****Side Release Suction Pad**

6-inch vacuum rubber pad with easy side release tab.

- Compatible with Spider 3, Spider 002S, Orange Bat and PRO6

**WRD-SP****Suction Pump**

Replacement suction pump.

- Compatible with Spider 3, Spider 002S, Orange Bat and PRO6

**WRD-SP2****Suction Pump**


Original part suction pump.

- Compatible with Spider 3, Spider 002S, Orange Bat and PRO6

**WRD-PL****Plunger Lube**

Lubricant for O-ring of suction pumps (SP and SP2).

WRD-SA3 Spider 3 Cup Assembly



WRD-SC3
Spider 3 Body Components
Replacement Spider 3 tool body components.



WRD-HS3
Spindle/Shaft
Replacement spindle for the Spider 3.



WRD-BB3
Ball Bearings
Ball bearings set for the Spider 3.



WRD-RO3
Metal Roller
Replacement metal roller for the Spider 3.



WRD-MH3
Metal Guide Hardware
Reverse deflection guide for the Spider 3.

WRD-OBA Orange Bat Assembly



WRD-OBSC
Orange Bat Body Components
Replacement Orange Bat tool body components.



WRD-OBH
Spindle/Shaft
Replacement spindle for the Orange Bat.




WRD-OBBS
Ball Bearings
Ball bearings set for the Orange Bat.



WRD-OBSS
Spring Set
Replacement spring set for the Orange Bat.

WRD-SA-002S Spider 002S Cup Assembly



WRD-SC-002S
002S Body Components
Replacement 002S tool body components.



WRD-H-002S
Spindle/Shaft
Replacement spindle for the Spider 002S and the PRO6 system.



WRD-BB-002S
Ball Bearings
Ball bearings set for the 002S Spider tool and PRO6 system.



WRD-RO-002S
002S Nylon Roller
Replacement nylon roller for the 002S Spider tool.



WRD-BL
Spider Guiding Bolt

WRD-PRO6-B PRO6 Cup Assembly



PRO6-HB
Handle Base
PRO6 multi-purpose suction cup housing.



The PRO6 Quick Connect is an interchangeable accessory locking mechanism used by the PRO6 multi-purpose glass handling cups.

PRO6 QUICK CONNECT



PRO6-AH
Anchor Hardware
Replacement component for PRO6 anchor cup.



PRO6-RH
Removal Hardware
Replacement component for PRO6 removal cup.



WRD-BB-002S
Ball Bearings
Ball bearings set for the 002S Spider tool and PRO6 system.



WRD-H-002S
Spindle/Shaft
Replacement spindle for the Spider 002S and the PRO6 system.

WRD-A3 Anchor Cup Assembly



WRD-AH3
Anchor Cup Plastic Housing
Replacement plastic housing for the WRD-A3.



WRD-AP3
Concave Rubber Pad
For A3 anchor cup. Side torque resistance replacement rubber pad.



WRD-PK
Replacement Plastic Knob
Plastic Knob of the WRD-A2 anchor cup.

**WRD-H-001S****001S Spindle/Shaft**

Replacement spindle for the 001S Spider tool.

**WRD-BU-001S****001S Bushing**


Bronze bushing set for the 001S Spider tool

**WRD-RO-001S****001S Nylon Roller**


Replacement nylon roller for the 001S Spider tool

**WRD-TS****Spring Pins**

Replacement spring pins for PRO6 attachment accessories.

**WRD-S45****Silicon Cup - 45mm**

Replacement suction cup for the H1 Hand Puller.

**WRD-S60****Silicon Cup - 60mm**

Replacement suction cup for the PRO6-PP Positioning Assistant.



WRD-PB3

Plastic Tool Case

Plastic shell tool case with foam inner liner for the WRD Spider 3 removal system.



WRD-PB2

Plastic Tool Case

Plastic shell tool case with foam inner liner for the WRD Spider 2 removal system.



PRO6-TT

17" Tool Tote

PRO6 system carry bag and organizer. 3 large center compartments with interior and exterior pockets.



WRD-OBPB

Plastic Tool Case

Plastic shell tool case with foam inner liner for the WRD Orange Bat removal system.



WRD Glass Tools Inc.

#5 - 2779 Lake City Way, Burnaby, BC V5A 2Z6, Canada

☎ 778-688-4697 ✉ info@wrdglasstools.com

